



PATENT
5504-1269

IN THE U.S. PATENT AND TRADEMARK OFFICE

Applicants: DAMBACHER et al. Confirmation: 6062
Serial No.: 1011/524,429 Art Unit: 2879
Filed: February 15, 2005 Examiner: M. Hodges
For: ELECTRODE SYSTGEM FOR A HIGH-PRESSURE DISCHARGE LAMP

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Assistant Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

September 8, 2006

Sir:

In compliance with Rules 1.97 and 1.98, and in fulfillment of the duty of disclosure under Rule 1.56, the document listed on the attached Form PTO-1449 is hereby made of record in the above-identified application.

The cited reference corresponds to DE 198 08 981, a copy of which was included with the Information Disclosure Statement filed August 7, 2006. The Examiner is courteously requested to initial and return a copy of the attached Form PTO-1449 to confirm consideration of the listed item.

This Information Disclosure Statement is being filed prior to issuance of an action on the merits; therefore, no fee is believed to be required. However, if a fee is due, the Commissioner is hereby authorized to charge the IDS charge to counsel's Deposit Account No. 25-0120.

Respectfully submitted,

YOUNG & THOMPSON

Robert J. Patch, #17,355

745 South 23rd Street
Arlington, VA 22202
703-521-2297 (telephone)
703-685-0573 (telecopier I)
703-979-4709 (telecopier II)

RJP:rk

**INFORMATION DISCLOSURE CITATION
IN AN APPLICATION**

(Use several sheets if necessary)

Attorney Docket No.:

5504-1269

Application No.:

11/524,429

Applicant:

Anton DAMBACHER et al.

Filing Date:

February 15, 2005

Group Art Unit:

2879

U.S. PATENT DOCUMENTS

[illegible]

FOREIGN PATENT DOCUMENTS

[illegible]

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

[illegible]

EXAMINER:

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.

RJP:rk